

Technical data

Appliance type	Colour	Exterior dimensions in cm (h/w/d)	Interior dimensions in cm (h/w/d)	Gross Capacity in litres	max. Bordeaux bottles 0.75 l *	Temperature zones	Energy consumption kWh/24h **	Gross weight in kg	Net weight in kg	Connection rating Ampere	Climate rating
----------------	--------	-----------------------------------	-----------------------------------	--------------------------	--------------------------------	-------------------	-------------------------------	--------------------	------------------	--------------------------	----------------

The Vinidor range

WTes 4677 with tinted glazed door and interior light	Stainless steel	185.5/66/67.1	160.1/53.3/48.9	422	143	3	0.9	121	114	2.0 A	SN-ST
WT 4677 with tinted glazed door and interior light	Tinto	185.5/66/67.1	160.1/53.3/48.9	422	143	3	0.9	124	118	2.0 A	SN-ST
WTes 1753 with tinted glazed door and interior light	Stainless steel	85/59.7/58.6	68.1/51/42	136	40	2	0.6	60	57	0.9 A	SN-ST
WTUes 1653 with tinted glazed door and interior light	Stainless steel	82-87/60/min. 58	64.1/51/42	127	38	2	0.6	56	53	0.9 A	SN-ST
WTEes 2053 with tinted glazed door and interior light	Stainless steel	122.1-122.5/56-57/min. 55	110.5/45.5/40.6	195	64	2	0.4	69.6	66,1	0.8 A	SN-ST
WTI 2050 door-on-door system and interior light	Stainless steel	122-123.6/56-57/min. 55	110.5/45.5/40.1	195	64	2	0.3	49.6	46,6	0.8 A	SN-T

GrandCru multi-temperature wine cabinets

WTes 4177 with tinted glazed door and interior light	Stainless steel	165.8/66/67.1	142/51.3/48.9	409	173	6	0.7	86	81	1.2 A	SN-ST
WT 4177 with tinted glazed door and interior light	Tinto	165.8/66/67.1	142/51.3/48.9	409	173	6	0.7	89	83	1.2 A	SN-ST

Vinothek multi-temperature wine cabinets

WT 4127 with tinted glazed door and interior light	Tinto	165.8/66/67.1	142/51.3/48.9	409	173	6	0.7	91	85	1.2 A	SN-ST
WT 4126	Tinto	164.4/66/67.1	146.5/51.3/48.9	401	182	6	0.6	70	64	1.0 A	SN-ST


GrandCru wine storage cabinets

WK 4677 with tinted glazed door and interior light	Tinto	185.5/66/67.1	161.5/51.3/48.9	462	187	1	0.6	97	91	1.2 A	SN-ST
WKes 4177 with tinted glazed door and interior light	Stainless steel	165.8/66/67.1	142/51.3/48.9	403	162	1	0.5	86	81	1.2 A	SN-ST
WKUes 1753 with tinted glazed door and interior light	Stainless steel	82-87/60/min. 58	64/51/43.5	144	59	1	0.5	53	50	1.0 A	SN-ST

GrandCru wine storage cabinets

WK 5700	Tinto	170.8/75/71	151.5/62.8/54.2	560	231	1	0.7	84	79	1.5 A	SN-T
WK 4127 with tinted glazed door and interior light	Tinto	165.8/66/67.1	142/51.3/48.9	403	162	1	0.5	90	85	1.2 A	SN-ST
WK 4126	Tinto	164.4/66/67.1	146.5/51.3/48.9	395	168	1	0.4	69	63	1.0 A	SN-T
WK 2927 with tinted glazed door and interior light	Tinto	126.4/66/67.1	102.5/51.3/48.9	285	115	1	0.5	73	69	1.2 A	SN-ST
WK 2926	Tinto	125/66/67.1	107/51.3/48.9	281	119	1	0.4	56	53	1.0 A	SN-T
WK 1802 with tinted glazed door and interior light	Tinto	88.9/60/60.5	73.5/51.3/44.1	174	68	1	0.8	48	45	1.0 A	N-ST

* Maximum Bordeaux bottle capacity (0.75l), depending on bottle shape and size ** at +20°C ambient temperature and + 12°C internal temperature on average



Wine
Special 2008

Savour wine at its best

No matter whether we're talking about wine production, storage or tasting, the right temperature is crucial. It's a vital factor. Not only for growing the grapes, for producing, maturing and storing the wine but, first and foremost, for the flavour. The temperature at which a wine is served is essential for savouring the flavour at its very best.

The perfect range for wine connoisseurs

It is only under ideal conditions that a good wine can develop into a really excellent vintage and guarantee maintaining its long-term value. For this, the technically advanced wine storage cabinets and multi-temperature wine cabinets from Liebherr are the perfect solution. Incorporating the latest climate technology, they provide precisely the right conditions for wines to mature in

peace and reach their peak of flavour. Including a state-of-the-art electronic control system, unique compressors and a host of thoughtfully designed features, such as the activated charcoal filter and the special glass doors for essential UV protection, these appliances are specifically tailored for storing your wine in the optimum conditions.

The Vinidor range

The Vinidor range combines all the advantages of wine storage cabinets and multi-temperature wine cabinets in one appliance. This range offers two or three wine compartments in which the temperature can be individually set to exactly the degree required. This means that, for instance in the WT 4677, red wine, white wine and champagne can be kept at their individual ideal serving temperatures in the same appliance. These cabinets also provide the facility to set the ideal temperature for storing large quantities of wine over the longer term. The wine compartments vary in size to accommodate any personal selection and variety of wines.



5 - 20 °C

5 - 20 °C

5 - 20 °C



The multi-temperature wine cabinets

Multi-temperature wine cabinets are especially suited for storing different types of wine at their respective drinking temperatures. These appliances incorporate a special climate control system that can layer the temperatures. In the upper zone, for example, red wine can be kept at 18 °C while the lower zone, set at an ambient temperature of 5 °C, will be particularly suitable for sparkling wine or champagne.



18 °C

5 °C



The wine storage cabinets

Wine storage cabinets are the ideal choice for storing a larger wine collection over the long-term. Additionally, these appliances are perfectly suited for keeping larger quantities at drinking temperature. The temperature selected is maintained at a uniform, constant level throughout the interior of these wine storage cabinets.



5 - 20 °C



Superb conditions for fine wines

The production of a really good wine depends on many different factors: the quality of the grapes, the soil, how it is processed, and the correct storage. Essentially, a good wine can only mature fully if all the conditions are right. Constant temperatures and the right humidity are extremely

important for optimum storage and for savouring wine at its best. Our wine storage cabinets are ideal for storing your wines for long periods of time to allow them to mature to absolute perfection.

Ideal Temperature

Exact maintenance of the required temperature is necessary for the wine to mature to its best. Depending on type of wine and wine region, the ideal temperature range for long-term storage is between 8 °C and 12 °C. Depending on your requirements, wines can be stored either long-term or at drinking temperature in the appliances of the Vinidor range. The temperature ranges are freely adjustable from 5 °C to 20 °C.

Optimum air quality

Unwelcome odours in the air can have a negative effect on wines when they are stored for long periods. For that reason, kitchens, pantries, garages or laundry rooms are not suitable for the long-term storage of wine. The wine storage cabinets from Liebherr have an activated charcoal filter, which can be easily changed, that purifies the incoming fresh air to obtain the optimum odour-free quality. Each individual wine compartment in the Vinidor appliances range has an activated charcoal filter of its own.

Optimum positioning

The hand-made shelves in untreated wood are ideal for storing Bordeaux bottles safely. Storing the bottles in opposite directions on the pull-out shelves permits full use of the capacity. The two built-in appliances WTI 2050 and WTEes 2053 come with half-folding wooden shelves for presenting wines or storing open bottles. The Vinidor range features secure wooden pull-out shelves providing a good overview and convenient access to the bottles.

Ideal humidity

Air humidity is a very important aspect in the correct storage of wine. Corks remain pliant and are kept from drying out only at the right humidity of 50 % to 80 %. To keep the cork as moist as possible from inside, wine bottles should always be stored on their side. With 50 % to 80 % humidity the wine cabinets from Liebherr guarantee ideal storage conditions.

Maturing in peace

Peace and quiet are necessary for wines that are to be stored for long periods. Even minor vibrations can have a negative effect as they can stir up the fine components of the sediment. Specially developed compressors installed in the wine cabinets from Liebherr ensure that the wines are stored in a particularly low vibration environment.

Guaranteed UV protection

The green or brown glass of the bottle does not shield the wine sufficiently from damaging light. Therefore, rooms used to store wine not in boxes or cartons should be darkened. The tinted safety glass in the Liebherr wine cabinets guarantees the essential UV protection for your fine wines.

Innovative, exclusive and versatile: The Vinidor range

Depending on model size, the technically advanced appliances in the Vinidor range have two or three wine compartments allowing independent temperature settings. The appliances can be set in the temperature range of 5 °C and 20 °C to exactly the degree required in each compartments.

All the Vinidor appliances feature an innovative LED lighting concept. There is LED lighting in each temperature zone, integrated in the ceiling and in the insulation plates. This advanced technology ensures uniform illumination of the complete interior. Since any heat generated by the LEDs is minimal, wines can be presented, bathed in light, for a longer time period. The WTes 1753 and WTUes 1653 represent an innovative solution for your storage requirements. For example, the control unit is incorporated into the insulation plate. The zones above and beneath this plate can be set independently of each other to two different temperatures ranging from 5 °C to 20 °C. Red or white wine, can be stored together or separately, as you choose, at ideal drinking temperatures in this appliance.

The path to complete wine pleasure

The responsibility for the quality of the wine does not stop with the wine storage. As a wine consumer you too will want to handle your wine carefully; especially if you want to provide the full benefit to both yourself and your guests. You need to know how to properly store your wine and how it is to be correctly served. For example, it is worthwhile, to decant strong red wines into a carafe before serving; particularly if they are to be enjoyed while they are young. The contact area of the wine with air is greater in the carafe than in the bottle. Therefore, the wine "saturates" with oxygen so that it is positively changed and any possible sullying of the aroma rapidly disappears. Older red wines

are decanted in order to separate the sediment that has settled at the bottom of the bottle from the rest of the wine. A lighted candle placed under the bottle neck helps reveal this sediment. Most important, however, is to ensure that your wine is at the right serving temperature. White wines are best enjoyed when they are cold. And room temperature as a measure for a red wine is long since passé. Even heavy wines should not be served at temperatures of more than 20°C; a temperature of 18°C is even better. Only then will the flavour and refinement show to their very best.

Attractive and convenient

Multi-temperature wine cabinets and wine storage cabinets not only offer the compelling benefit of innovative climate technology, engineered specifically for storing wines, but

also bring together premium quality equipment with a classical, elegant design.

All the Vinidor appliances feature an innovative **LED lighting concept**. There is LED lighting in each temperature zone, integrated in the ceiling and in the insulation plates. This advanced technology ensures uniform illumination throughout the interior. Since any heat generated by the LEDs is minimal, wines can be presented, bathed in light, for a longer time period. The wine storage cabinets from Liebherr have an **activated charcoal filter**, which can be easily changed, that purifies the incoming fresh air to obtain the optimum odour-free quality. Each wine compartment in the Vinidor appliances range has an activated charcoal filter of its own.



In the WTes 1753 and WTUes 1653 Vinidor appliances, the **electronic control system** is integrated in the insulation plate. The zones above and beneath this plate can be set independently of each other to two different temperatures ranging between 5 °C and 20 °C. This has the advantage that red and white wine can be stored together or separately, as you choose, at ideal drinking temperature in this appliance.

The Vinidor range features secure wooden pull-out shelves providing a good overview and convenient access to the bottles. The handmade **shelves** crafted from untreated wood are ideal for storing bottles of Bordeaux safely. Storing the bottles in opposite directions on the pull-out shelves permits full use of the capacity.

The two built-in appliances WTI 2050 and WTEes 2053 come with **half-folding wooden shelves** for presenting wines or storing open bottles. The new **clip-on labelling system** provides a quick and clear overview of your wine store. The labelled card can be easily inserted into the flexible attachable clips.

Vinidor range

- Ideal climate conditions in each compartment thanks to forced air cooling and fresh air supply via activated charcoal filter
 - Electronic control in the insulation panels
 - Door and temperature alarm
 - Digital temperature display which can be read from the outside
 - Child Lock function
 - Variable humidity control
- Dimmable LED interior light with separate switch
 - Pull-out wooden shelves on telescopic rails
 - Vibration-free compressors
 - Reversible doors

WT(es) 4677 Vinidor

- 3 temperature zones, each separately adjustable between 5°C and 20°C
- Elegant slimline handle in the colour of the housing with integrated opening mechanism
- Front in high-quality SwingLine design
- Tinted glazed door
- Frame of glass door in the colour of the housing

WTUes 1653 and WTes 1753 Vinidor

- 2 temperature zones, each adjustable between 5°C and 20°C
- Tinted glazed door with high-quality stainless steel frame
- Stainless steel handle

WTEes 2053 and WTI 2050 Vinidor

- 2 temperature zones, each adjustable between 5°C and 20°C
- 2 folding wooden pull-out shelves for presentation or for storing open bottles
- SoftSystem



The Vinidor-Range	WTes 4677 Vinidor	WT 4677 Vinidor	WTEes 2053 Built-in appliance Vinidor	WTI 2050 Vinidor	Built-in appliance WTes 1753 Vinidor	WTUes 1653 Vinidor	Under-worktop appliance
Gross capacity	422 litre	422 litre	195 litre	195 litre	136 litre	127 litre	
0.75 litre bottles, up to	143	143	64	64	40	38	
Exterior dimensions in cm (h/w/d)	185.5/66/67.1	185.5/66/67.1	122.1-122.5/56-57/min. 55	122-123.6/56-57/min. 55	85/59.7/58.6	82-87/60/min. 58	
Energy consumption (in 365 days)	332 kWh	332 kWh	150 kWh	125 kWh	220 kWh	220 kWh	
Housing / door	Stainless steel/glazed door	Tinto/glazed door	Stainless steel/glazed door	Stainless steel/full-panel door	Stainless steel/glazed door	Stainless steel/glazed door	
Temperature zones	3	3	2	2	2	2	
Adjustable temperature range	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	+5°C to +20°C	
Pull-out wooden shelves	10	10	4	4	4	3	
Lockable door	•	•	–	–	–	•	

GrandCru multi-temperature wine cabinets

The temperatures can be set differently for the upper zone and lower zone in the multi-temperature wine cabinets of the GrandCru range. Innovative climate technology is employed to create temperature layers, so that red or white wines, and even champagne, can be stored at perfect drinking temperatures.

Up to 182 bottles can be stored at serving temperature in these models. The wooden shelves are height-adjustable to accommodate the individual wine selections. The upper and lower temperature range is displayed digitally in the electronic control unit in the multi-temperature wine cabinets of the GrandCru range.

Serving sparkling wine

Sparkling wines are more than just an aperitif, or a drink to pique the taste buds before a festive dinner. They are a great accompaniment to a host of dishes. They go very well with seafood, poularde in a creamy sauce, mushroom dishes or even with a mature cheese. The simpler, fruity sparkling wines are ideal appetisers when chilled well to temperatures between 5 °C and 8 °C. Then their refreshing acidity comes out best. The following rule of

thumb for sparkling wines applies: the warmer the outside temperature, the cooler the serving temperature of the wine. The wine warms quickly in the glass and so it should be colder right from the start. On the other hand, vintage sparkling wines are more complex in character and need a higher temperature of between 9 °C and 12 °C to develop to their full bouquet.

Connoisseurs go for magnum

Large wine bottles have an almost irrepressible fascination for connoisseurs of wine. The distinction between large and small bottles is most striking when it comes to sparkling wines. They mature better in magnum bottles primarily

because the the ratio of oxygen to wine is lower and therefore the wine matures at a slower pace. This is essentially the reason why sparkling wine from large bottles is usually much more sprightly and fresh on the palate.

GrandCru superior features

Fine wines only develop their full flavour and aroma when they are at the ideal drinking temperature. In a multi-temperature wine cabinet from Liebherr you can bring your wines to the ideal drinking temperature, slowly, safely and evenly.

The hand-crafted shelves in untreated wood are ideal for storing Bordeaux bottles safely. Storing the bottles in opposite directions on the height-adjustable wooden shelves permits full use of the capacity.



The tinted glazed door with the high quality sheet steel frame, in the colour of the housing, creates a distinctly attractive ambience for fine wines.

The glazed door and the interior lighting, which can be separately switched on, enhance the ease and elegance with which connoisseurs can present their wines. The distinctive tinted glass of the door filters harmful ultraviolet rays to ensure that light does not detract from the maturation of the wine.

In the multi-temperature wine cabinets of the GrandCru and Vinothek ranges, the temperatures can be individually set for the upper and lower zones. Clever climate technology is deployed to create temperature specific layers, so that wines from red to white, and all the way to champagne, can be kept in storage at the correct drinking temperature. The shelves are height-adjustable to accommodate any variety of wine selection.

GrandCru multi-temperature wine cabinets

- Temperature range from 5°C (bottom) to 18°C (top)
 - Electronic control system with 2 adjustable temperature ranges
 - Door and temperature alarm
 - Digital temperature display which can be read from the outside
 - Child Lock function
 - Fresh air supply via activated charcoal filter
 - Lava stone humidifying equipment
- Interior light, with separate switch in appliances with glazed door
 - Height-adjustable wooden shelves
 - Front in high-quality SwingLine design
 - Elegant slimline handle in the colour of the housing with integrated opening mechanism
 - Vibration-free compressors
 - Reversible doors
 - Lockable door



GrandCru multi-temperature range

Gross capacity
0.75 litre bottles, up to
Exterior dimensions in cm (h/w/d)
Energy consumption (in 365 days)
Housing / door
Temperature zones
Temperature range
Wooden shelves
Lockable door

WTes 4177

GrandCru

409 litre
173
165.8/66/67.1
273 kWh
stainless steel/glazed door
6
+5°C to +18°C
5
•

WT 4177

GrandCru

409 litre
173
165.8/66/67.1
273 kWh
Tinto/glazed door
6
+5°C to +18°C
5
•

Vinothek multi-temperature wine cabinets

- Temperature range from 5°C (bottom) to 18°C (top)
 - Mechanical control system
 - Door and temperature alarm
 - Child Lock function
 - Fresh air supply via activated charcoal filter
 - Lava stone humidifying equipment
 - Interior light in WT 4127
 - Height-adjustable wooden shelves
- Front in high-quality SwingLine design
 - Vibration-free compressors
 - Reversible doors
 - Lock available for subsequent fitting



Vinothek multi-temperature range

Gross capacity
0.75 litre bottles, up to
Exterior dimensions in cm (h/w/d)
Energy consumption (in 365 days)
Housing / door
Temperature zones
Temperature range
Wooden shelves
Lockable door

WT 4127

Vinothek

409 litre
173
165.8/66/67.1
273 kWh
Tinto/glazed door
6
+5°C to +18°C
5
option

WT 4126

Vinothek

401 litre
182
164.4/66/67.1
204 kWh
Tinto/full-panel door
6
+5°C to +18°C
5
option

Wine storage cabinets of the GrandCru range

Wine storage cabinets can be set to exactly the temperature required within the range of 5 °C to 20 °C. This ensures that the selected temperature is maintained constantly and uniformly throughout the interior. Our wine storage cabinets are ideal for storing wines for long periods of time to allow them to mature to perfection. Depending on what temperature the appliances are set to, they can also be used for keeping white wine or red wine at exactly the right temperature for serving.

The 66 cm-wide models of the GrandCru series can be set to temperatures between 5 °C and 20 °C. All the wine storage cabinets are also available with a tinted glazed door for stylish presentation.

Why are grape varieties blended?

Many people still see the blending of various types of grapes as an underhand practice or even as adulterating a wine. But this is not the case at all. Blending has a long tradition, particularly in France, where it is referred to as "assemblage". There are several reasons for blending. Firstly, if wine were made from certain single varieties of grapes it might be one-dimensional, bland and possibly undrinkable. Blending is carried out to obtain a consistent quality and a harmonious, appealing wine.

Bordeaux wines are a good example of "assembly". For red Bordeaux, the Cabernet Sauvignon, Merlot and Cabernet Franc

varieties are mainly used. The Cabernet Sauvignon has a very pronounced tannin aroma and would probably be too strong to most people if it were used as a single grape variety. That is why the Cabernet is blended with the softer Merlot that has less tannin character. In this way the strong tannin structure of the Cabernet is toned down a little and the wine reaches maturity earlier. The Cabernet Franc gives the blend a perfect colour and a delicate spiciness. The individual components of the grape varieties form a unique whole that is achieved only when married together by blending.



Wine storage cabinets of the Vinothek range

Liebherr's large range of wine storage cabinets caters for a wide spectrum of storage requirements. In addition to the appliances in the GrandCru range, the wine storage cabinets also come in the Vinothek line.

The permanent supply of fresh air through activated charcoal filters and re-circulated air cooling both ensure a consistently high air quality in these appliances to help the wines progress safely to maturity. Specially developed compressors ensure that the wines are stored undisturbed in peace and quiet.



Features of the wine storage cabinets

The wine storage cabinets of the GrandCru range feature distinctive equipment and offer top operating efficiency. The 66 cm-wide appliances with their electronic control system and super insulation are especially economical to

operate. The attractive wooden shelves and the elegant SwingDesign door make these appliances the first choice for the highest standards.

Liebherr wine storage cabinets come in a full range of capacities. 60 and 75 cm width in the Vinothek range and in 66 cm wide the especially energy efficient GrandCru range. Up to 231 Bordeaux bottles can be stored in these exceptional wine storage cabinets from Liebherr.

The new lever handle in the GrandCru range is ergonomically adapted to the respective door height. This practical door handle, with integrated opening mechanism, allows the door of the appliance to be opened conveniently with a minimum of effort.



The wine storage cabinets of the GrandCru range are equipped with an accurate electronic control system with digital temperature display. With this control system the temperatures can be set to the degree required in the range of 5 °C to 20 °C. The Vinothek range can be set between 5 °C and 20 °C using a rotary control button. The current temperature of the interior is digitally displayed.

The bottle shelves, made of untreated wood are variably height-adjustable to provide an optimum overview and a clear storage layout. The bottles can be stored in opposite directions to make full use of the capacity. The wooden shelves are designed to safely hold Bordeaux bottles.

GrandCru wine storage cabinets

- Ideal climate conditions thanks to forced air cooling and fresh air supply via activated charcoal filter
 - Adjustable temperature range between 5°C and 20°C
 - Electronic control
 - Door and temperature alarm
 - Digital temperature display which can be read from the outside
 - Child Lock function
- Fresh air supply via activated charcoal filter
 - Interior light, with separate switch in appliances with glazed door
 - Height-adjustable wooden shelves
 - High-quality SwingLine design
 - Elegant slimline handle in the colour of the housing with integrated opening mechanism
 - Vibration-free compressors
 - Reversible doors
 - Lockable door



GrandCru wine storage cabinet

Gross capacity
0.75 litre bottles, up to
Exterior dimensions in cm (h/w/d)
Energy consumption (in 365 days)
Housing / door
Temperature zones
Temperature range
Wooden shelves
Lockable door

WK 4677 GrandCru

462 litre
187
185.5/66/67.1
204 kWh
Tinto/glazed door
1
+5°C to +20°C
6
•

Electronic control system

The wine storage cabinets of the GrandCru range are equipped with an accurate electronic control system with digital temperature display. With this control system the temperatures can be set to the degree required in the range of 5 °C to 20 °C. The Vinothek range can be set between 5 °C and 20 °C using a rotary control button. The current temperature of the interior can be read from the outside.



GrandCru wine storage cabinet

Gross capacity
0.75 litre bottles, up to
Exterior dimensions in cm (h/w/d)
Energy consumption (in 365 days)
Housing / door
Temperature zones
Temperature range
Wooden shelves
Lockable door

WKes 4177 GrandCru

403 litre
162
165.8/66/67.1
178 kWh
Stainless steel/glazed door
1
+5°C to +20°C
5
•

GrandCru wine storage cabinet

- Ideal climate conditions thanks to forced air cooling and fresh air supply via activated charcoal filter
 - Temperature range settable between 5°C and 20°C
 - Electronic control
 - Door and temperature alarm
 - Digital temperature display which can be read from the outside
- Child Lock function
 - Fresh air supply via activated charcoal filter
 - Interior light, with separate switch in appliances with glazed door
 - Pull-out bottle racks
 - High-quality SwingLine design
 - Elegant slimline handle in the colour of the housing with integrated opening mechanism
- Vibration-free compressors
 - Reversible doors



GrandCru wine storage cabinet	
Gross capacity	144 litre
0.75 litre bottles, up to	59
Exterior dimensions in cm (h/w/d)	82-87/60/min. 58
Energy consumption (in 365 days)	182 kWh
Housing / door	Stainless steel/glazed door
Temperature zones	1
Temperature range	+5°C to +20°C
Pull-out bottle racks	3
Interior light	•
Lockable door	•

WKUes 1753 GrandCru	
Gross capacity	144 litre
0.75 litre bottles, up to	59
Exterior dimensions in cm (h/w/d)	82-87/60/min. 58
Energy consumption (in 365 days)	182 kWh
Housing / door	Stainless steel/glazed door
Temperature zones	1
Temperature range	+5°C to +20°C
Pull-out bottle racks	3
Interior light	•
Lockable door	•

Vinothek wine storage cabinets

- Ideal climate conditions thanks to forced air cooling and fresh air supply via activated charcoal filter
 - Mechanical control
 - Interior light in WK 4127, with separate switch
 - Analogue temperature display which can be read from the outside
 - Fresh air supply via activated charcoal filter
 - Height-adjustable wooden shelves
- Height-adjustable bottle shelves in WK 5700
 - Vibration-free compressors
 - Reversible doors
 - Lockable door in WK 5700



Vinothek wine storage cabinets	
Gross capacity	560 litre
0.75 litre bottles, up to	231
Exterior dimensions in cm (h/w/d)	170.8/75/71
Energy consumption (in 365 days)	255 kWh
Housing / door	Tinto/full-panel door
Temperature zones	1
Temperature range	+5°C to +20°C
Wooden shelves	–
Bottle shelves	6
Interior light	–
Lockable door	•

WK 5700 Vinothek	WK 4127 Vinothek	WK 4126 Vinothek
Gross capacity	403 litre	395 litre
0.75 litre bottles, up to	162	168
Exterior dimensions in cm (h/w/d)	165.8/66/67.1	164.4/66/67.1
Energy consumption (in 365 days)	178 kWh	160 kWh
Housing / door	Tinto/glazed door	Tinto/glazed door
Temperature zones	1	1
Temperature range	+5°C to +20°C	+5°C to +20°C
Wooden shelves	5	5
Bottle shelves	–	–
Interior light	•	–
Lockable door	option	option

Vinothek wine storage cabinets

- Ideal climate conditions thanks to forced air cooling and fresh air supply via activated charcoal filter
 - Mechanical control
 - Analogue temperature display which can be read from the outside
 - Interior light in WK 2927, with separate switch
 - Fresh air supply via activated charcoal filter
 - Height-adjustable wooden shelves
- Vibration-free compressors
 - Reversible doors



Ideal humidity
With 50% – 80% humidity, Liebherr's wine storage cabinets guarantee the perfect conditions needed for keeping the corks supple and allowing wine to breathe during the maturing process. The fresh air supplied through the easily replaceable **activated charcoal filter** and the recirculated air cooling system ensure optimal air quality - this is crucially important for the maturing process and preservation of the wines.



Vinothek wine storage cabinets	
Gross capacity	
0.75 litre bottles, up to	
Exterior dimensions in cm (h/w/d)	
Energy consumption (in 365 days)	
Housing / door	
Temperature zones	
Temperature range	
Wooden shelves	
Interior light	
Lockable door	

WK 2927	
Vinothek	
Gross capacity	285 litre
0.75 litre bottles, up to	115
Exterior dimensions in cm (h/w/d)	126.4/66/67.1
Energy consumption (in 365 days)	171 kWh
Housing / door	Tinto/glazed door
Temperature zones	1
Temperature range	+5°C to +20°C
Wooden shelves	3
Interior light	•
Lockable door	option

WK 2926	
Vinothek	
Gross capacity	281 litre
0.75 litre bottles, up to	119
Exterior dimensions in cm (h/w/d)	125/66/67.1
Energy consumption (in 365 days)	153 kWh
Housing / door	Tinto/full-panel door
Temperature zones	1
Temperature range	+5°C to +20°C
Wooden shelves	3
Interior light	–
Lockable door	option

Vinothek wine storage cabinet	
Gross capacity	
0.75 litre bottles, up to	
Exterior dimensions in cm (h/w/d)	
Energy consumption (in 365 days)	
Housing / door	
Temperature zones	
Temperature range	
Bottle shelves	
Interior light	
Lockable door	



WK 1802	
Vinothek	
Gross capacity	174 litre
0.75 litre bottles, up to	68
Exterior dimensions in cm (h/w/d)	88.9/60/60.5
Energy consumption (in 365 days)	292 kWh
Housing / door	Tinto/glazed door
Temperature zones	1
Temperature range	+5°C to +20°C
Bottle shelves	3
Interior light	•
Lockable door	•